

Blantx 20% SP

Pesticide composition: An agricultural insecticide containing 20% acetamiprid (w/v) in the form of a water-soluble powder.

Pesticide effect: A systemic insecticide with an infectious effect by contact and used in the field Wide application to eliminate insects.

Pesticide properties:

Blantx 20%: A systemic insecticide with an infectious effect that works by contact and is used in... It has a wide scope to eliminate sucking insects such as aphids, hoppers, tunnel borers, and fruit moths E, the white fly.

Blantx 20%: used on fruit and vegetable trees.

Blantx 20%: Mixed with most insecticides, fungicides, and arachnids, except alkali It is recommended to do a test before spraying and spray the solution immediately

Blantx 20%: Harmful if swallowed. Very toxic to aquatic organisms and fish.

Moderately toxic to bees. Causes eye damage and skin irritation.

The usage rate is in the following table:

The period between sprays	Safety period	Usage rate per 20 liters of water	The pest	Crops
days 14	days 14	10-5gm	mites, aphids, plants Spending	Apples
days 14	days 14	10-5gm	Aphids, fruit moth	the parts
7 days	days 3	10gm	Aphids, Thrips Whitefly	cucumber
14 days	7 days	10 gm	Aphids	Potatoes
14 days	3 days	5-10 mg	Aphids, Thrips Whitefly	Watermelon
14 days	7 days	10 -5 mg	Aphid, fruit moth, tunnel maker	Peaches
14 days	3 days	10 gm	Thrips Whitefly, aphid	Tomatoes

14 days	14 days	10 gm	Aphids, tunnel makers, ball mealybugs	Citrus
14 days	3 days	5 gm	Aphids, thrips Whitefly	Eggplant, sweet pepper

Phone Num: [+962795550988](tel:+962795550988) / [+962775681444](tel:+962775681444)
P O Box: 20 / Postal code / Irbid 1467

Email: info@qasioun-vet.com
Website: [WWW.Qsioun-vet .com](http://WWW.Qsioun-vet.com)
