

## شركة قاسيون لتصنيع الأدوية البيطرية و الزراعية QASIOUN CO. FOR MFG OF VET. & AGR MEDICINES

## Qasioun stare 32.5% SC

Pesticide composition: Fungicide containing Azoxystrobin 20% w/v + Difenoconazole 12.5% w/v in the form of a suspended concentrate

Pesticide effect: A preventive and curative systemic fungicide, to eliminate a wide spectrum of fungal diseases that affect a number of agricultural crops

## Pesticide properties:

Qasioun Star 32.5%: A preventive and curative systemic fungicide, to eliminate a wide spectrum of fungal diseases that affect a number of agricultural crops

Qasioun Star 32.5%: A pesticide consisting of two active ingredients from two different groups to provide high effectiveness and double strength in combating fungi.

Qasioun Star 32.5%: Used on fruit trees and vegetables

Qasioun Star 32.5%: Can be mixed with other insecticides and fungicides, and it is preferable to conduct a preliminary mixing experiment by adding this pesticide first.

Qasioun Star 32.5%: Non-toxic to plants according to the recommended rates

Qasioun Star 32.5%: Harmful if inhaled, causes skin sensitivity, toxic to aquatic organisms

Usage rate in the following table:

Crops	Pests	Rate of	Number of	Safety period
		application /20 L	spraying	
		water	times during	
			the season	
Carrots	leaf blight, leaf	10-15 ML	2	14 Days
	spot	1 L / Hectare		
Garlic	Purple blotch,	10 – 15 ML	1	21 days
	downy mildew,	1 L / Hectare		
	leaf blight			

Cabbage	Early blight, leaf	10 – 15 ML	2	21 days
	spot	1 L / Hectare		
broccoli,	Early blight, leaf	10 – 15 ML	2	21 days
cauliflower	spot	1 L / Hectare		
watercress	Powdery	10 – 15 ML	2	14 days
	mildew, leaf	1 L / Hectare		
	spot, leaf holes			
strawberry	leaf spot,	10 – 15 ML	2	3 days
	powdery	1 L / Hectare		
	mildew			

Phone Num: +962795550988 / +962775681444 Email: info@qasioun-vet.com
P O Box: 20 / Postal code / Irbid 1467 Website: WWW.Qsioun-vet .com